

## II. CLAIM AMENDMENTS

1. (Currently Amended) A process comprising:

detecting at a first location if a video signal represents a selected type of image;

receiving said video signal at a second location not in the same enclosure as said first location;

printing an image from said video signal at said second location if said video signal does not represent said selected type of image;

taking corrective action if said video signal represents said selected type of image;

wherein said corrective action comprises both invalidating said video signal and stopping said printing step;

adding to said video signal a validation code at said first location if said video signal does not represent said selected type of image, and

checking at said second location for said validation code.

2. (Original) The process of claim 1, wherein said selected type of image represents a member of a group consisting of currency and negotiable securities.

3. (Original) The process of claim 1, wherein said detecting step comprises scanning an object at said first location to produce said video signal.

4. (Original) The process of claim 1, wherein said printing step comprises xerographically printing.

5. (Original) The process of claim 1, wherein said printing step comprises ink jet printing.

6 - 8. (Cancelled)

9. (Previously Presented) The process of claim 1, wherein said stopping step prevents printing even a partial image.

10. (Cancelled)

11. (Currently Amended) The process of claim 1 ~~10~~, wherein said validation code is separate from the video signal.

12. (Currently Amended) The process of claim 1 ~~10~~, wherein said validation code is embedded in the video signal.

13. (Previously Presented) An apparatus comprising:

a detector at a first location for determining if a video signal represents a selected type of image; and

a corrector at said first location and at a second location taking corrective act if said video signal represents said selected type of image, said locations not being in the same enclosure;

a printer at said second location for printing an image from said video signal;

wherein said corrector comprises both an adder adding a validation code to said video signal if said video signal does not represent said selected type of image, said adder being disposed at said first location, and an invalidator at said first location altering said video signal, and means at said second location for stopping printing of said image if said validation code is not present.

14. (Cancelled)

15. (Previously Presented) The apparatus of claim 13, wherein said validation code is separate from the video signal.

16. (Previously Presented) The apparatus of claim 13, wherein said validation code is embedded in the video signal.

17. (Cancelled)

18. (Original) The apparatus of claim 13, wherein said selected type of image represent a member of a group consisting of currency and negotiable securities.

19. (Original) The apparatus of claim 13, further comprising a scanner scanning an object to provide said video signal.

20. (Previously Presented) An apparatus disposed at a second location for receiving a video signal from a first location, said locations not being in the same enclosure, said apparatus comprising:

- a detector receiving said video signal and determining the presence of a validity code when said video signal does not match a selected type of image, said video signal also being invalidated if said video signal matches said selected type of image; and

- a printer printing a reproduction of said video signal only when said validity code is present.

21. (Original) The apparatus of claim 20, wherein said printer comprises a xerographic printer.

22. (Original) The apparatus of claim 20, wherein said printer comprises an ink jet printer.

23. (Previously Presented) The apparatus of claim 20, wherein said printer does not print even a partial image if said video signal represents said selected type of image.

24. (Cancelled)

25. (Previously Presented) A xerographic printer disposed at a second location comprising:

at least one station applying a video signal from a first location to a member, said locations not being in the same enclosure, said video signal being invalidated if said video signal matches a selected type of image; and

an image processor receiving said video signal and providing it to said station only when a validation code is present, said validation code being present only when said video signal does not match said selected type of image.

26. (Original) The printer of claim 25, wherein said validation code is present only when said video signal does not represent a member of a group consisting of currency and negotiable securities.

27. (Original) The printer of claim 25, wherein said processor does not provide even a partial video signal when said code is not present.

28. (Original) The printer of claim 25, wherein said station includes a scanner coupled to said processor, a drum disposed proximate said scanner, a development station disposed proximate said drum, and a cleaner disposed proximate said drum.

29. (Original) The printer of claim 25, further comprising a plurality of stations each of said stations receiving a color component signal of said video signal.